



TI BRADBURY

RANGE OF LIFTS AND JACKS

The TI Bradbury product range is extensive, covering items from small 1½ tonne Trolley Jacks to heavy duty 14 tonne Commercial lifts.

The majority of lifts incorporate the patented "wheel-free" system, which means the vehicle can be supported in any one of a number of raised positions, while the moving platform is free to travel the full distance between the vehicle and the ground.

TI Bradbury are part of the TI Transport Equipment Group, which is the sales and marketing organisation for TI Crypton, TI Bradbury and TI Churchill products and for TI Transervice after-sales service.

This folder shows the TI Bradbury range of products sufficient to indicate their application, leaflets giving a full description are available on request.



777 'Duette' 2 post lift.

This two poster scores in economy of space, occupying a floor area of only 10'6" (3.18m) × 5' (1.52m); when not in use. Access from a more acute angle than with a four poster is possible. There are two basic types available - 777 Duette standard and 778 Duette Diagonal. Both models have 2 tonnes capacity.

888 Duette 2.5. 2 post lift.

Extremely strong, space saving lift that fits into 3 meter wide work bay. Adequate space between columns allows good access for approach and door openings. Low height lifting pads make positioning simple. Many safety features incorporated. Rated at 2.5 tonnes capacity.



762 'Liftette' 3 post lift.

Another space-saving lift, having an overall width of only 9' 7¼" (2.92m). The 762 provides full repair facilities for repair and servicing of vehicles. Quick and safe location of lifting points and electro-hydraulic design for quick smooth operation. Rated at 3 tonnes capacity.

800A 'Liftmaster' 4 post lift.


This compact lift can be accommodated within 3 meter limit. Complete with patented "wheel-free" system. Capacity 3 tonnes. Time to raise with full load on 3 phase, only 38 seconds. Now incorporates power pack and control box on column.

799A 4 post lift. Basic version of 800A incorporates most facilities except for "wheel-free" system. Listed as "acceptable equipment" by the D.T.p.



TI BRADBURY

TI BRADBURY — COMMERCIAL VEHICLE LIFTS



773A
'Dockmaster'
4 post lift
3½ tonnes.

This model is suitable for a wide range of light commercial vehicles. Full load can be raised to maximum height in 38 seconds. "Wheel-free" system and lighting included. Balcony extensions (optional) can be added. Capacity 3½ tonnes.




769A
'Dockmaster'
4 post lift
5 tonnes.

This versatile general purpose lift has a platform length of 21' (6.400m) making it suitable for a variety of commercial vehicles. All standard TI Bradbury safety features are included plus "wheel-free" systems and lighting. Balcony extensions available. Capacity 5 tonnes.




755
'Dockmaster'
4 post lift
8 tonnes.

A powerful lift for accommodating heavy duty vehicles including coaches. Raises full load in only 60 seconds. "Deadman" control safety feature included and the lift is complete with wheel-free system and lighting. Balcony extensions available. Capacity 8 tonnes.




752
'Dockmaster'
6 post lift
14 tonnes.

This immensely strong lift will take an evenly distributed load of 14 tonnes. Ideal for servicing coaches, buses and other heavy transport vehicles. Powered by 6.h.p. 3-phase motor, the load can be raised in 65 seconds to maximum height. "Wheel-free" system and lighting included. Balcony extensions and ladders available if required. Capacity 14 tonnes.



711 A
Fork Truck
Lift
6 tonnes.

With this model, repairs and maintenance to Fork Trucks can be speeded-up, thanks to the easy accessibility obtained to all points of the truck. Model 711A will lift 6 tonnes to a height of 5' 2" (1.575m) in 55 seconds.




789 A
Fork Truck
Lift
9½ tonnes.

This powerful lift will raise a load of 9.5 tonnes to a height of 5' 6" (1.676m) in 60 seconds. Widely used by truck manufacturers', brewers, dock services, etc, to maintain their fork lift trucks. Both 711A and 789 should be installed in a shallow excavation with the tracks flush with the floor.


£99 2 TON

RANGE OF LIFTS AND JACKS



788 A
'Dockmaster'
4 post
'Tractor'
Unit lift
8 tonnes.


Purpose built for articulated tractor units and general workshop use. Complete with "wheel-free" system, which will greatly assist in repairs and replacements. The 788 is 16' (4.876m) long and the capacity is 8 tonnes.



500
'QUIKLIFT'
Motorcycle
lift.

No pit is required for this variable height platform lift. With its strong and adjustable work table 95" (2410mm) long, it is suitable for the servicing of all types of Motorcycles and other items of machinery such as lawnmowers.

A detachable plate on the lift platform allows the rear wheel on a Motorcycle to be removed for servicing, etc. Lifts up to 1100lb (500kg).



792
JACKING
BEAM
1 tonne.

This cross member Jacking Beam enables vehicles to be raised into a "wheel-free" position when on a 4 post lift.

The Beam is manually adjusted to standard track width and adaptors are provided that are suitable for most cars and light commercial vehicles. The 792 is listed as "acceptable equipment" by the D.Tp for vehicle testing. 1.0 tonne capacity.

TI BRADBURY— RANGE OF TROLLEY JACKS.

Models for every purpose from 1½ tonne to 10 tonne.

Most models in the Trolley Jacks range incorporate a patented 'Rocket-lift' facility which raises the crutch mechanically from bottom to normal load contact in one smooth stroke.



673C £126
673 C/L £139

586B £396

673C 1½ TONNES JACKETTE.

The ideal jack for the small workshop. Compact design and handle detachable to allow transportation by breakdown van if required. Weighs only 76lb (34kg) with handle.

673C/L 1½ TONNES JACKETTE.

A special version of the 673C, having a longer frame to enable it to be used on estate cars and similar vehicles having a long overhang. Overall frame length, 3' 2¼" (973mm).

The models 673C and 673L do not have the rocket lift facility.

586B 2½ TONNES.

This High-Lift Jack is designed for lifting the front or rear of a vehicle to a height of 37" (940mm) for inspection and repair.

It is invaluable for the smaller workshop where a lift cannot be installed owing to lack of space. Its height gives adequate clearance for a multitude of under-chassis operations and it has the rocket lift facility. Capacity 2½ tonnes.



TI BRADBURY

RANGE OF LIFTS AND JACKS

724 4 TONNES.

Compact in design, this robust Jack is ideal for general workshop use. The handle is easily detached for carrying in a breakdown wagon or service van. Sensitive lowering by turning handle. Weighs only 108lb (48.9kg) with handle. Rocket lift facility not included. Capacity 4 tonnes.



668 5 TONNES.

This High-Lift Jack with a maximum height of 36⁹/₁₆" (929mm) is suitable for the bus operator or commercial haulage company. A heavy robust Jack of outstanding design with all the Bradbury Rocket Lift advantages. Capacity 5 tonnes.



649A 5 TONNES.

This five-tonne Jack is designed for bus and commercial transport operators and is also suitable for general workshop use. Its high maximum lift of 24¹/₈" (613mm) makes it invaluable for vehicle servicing. Rocket lift facility. Capacity 5 tonnes.

753 6 TONNES.

For fleet operators this compact and robust Jack will prove to be invaluable for breakdown work and in the workshop for wheel changing and other operations. Sturdy solid steel frame is light enough to enable the Jack to be manoeuvred easily. Incorporates all features of other compact Jacks in the range, including a detachable handle. Rocket lift facility. Capacity 6 tonnes.

669B 10 TONNES.

This Jack is designed for really heavy-duty work on Commercial vehicles. It incorporates all the Bradbury basic features including Rocket lift, combined with a strength and robustness which puts it into a class apart. Specially designed to enable crutch to be located centrally for difficult jacking points. Capacity 10 tonnes.

The company reserve the right to introduce changes or improvements in design or specification without notice.



TI TRANSPORT EQUIPMENT
TI CRYPTON · TI BRADBURY · TI CHURCHILL · TI TRANSERVICE

TI Bradbury
Springwood Industrial Estate
Rayne Road Braintree
Essex England CM7 7ET
tel Braintree 20623 (STD 0376)
telex 98361